


# BEAUTIFUL ORNAMENTS

FOR HOME  
FARM • COTTAGE



CALL

Gulf Lightning Protection Co. Inc.  
Master Labeled Installations  
P. O. Box 10403 New Orleans, La. 70121  
Area Code 504 834-0624

FOR  
EXPERT  
SERVICE



INDEPENDENT PRODUCTS COMPANY

DIVISION OF INDEPENDENT PROTECTION CO., INC.

GOSHEN, INDIANA






# DELUXE BODIED VANES



No. 1-DL (12" x 12")  
No. 1-DS (9" x 8")

**Horse**



No. 4-DL (10" x 14")  
No. 4-DS (6" x 9")

**Sailboat**



**No. 12-DL Doctor & Buggy**

16" x 8"

(Available in Large Size Only)



**No. 14-DL Pointer**


12" x 6"

(Available in Large Size Only)



**Cow**

No. 26-DL (12" x 8")  
No. 26-DS (9" x 7")



**Hog**


No. 33-DL (11" x 7")  
No. 33-DS (9" x 5")



**No. 29-DL Duck**


(Available in Large Size Only)

10" x 10"



**Squirrel**

No. 34-DL (11" x 10")  
No. 34-DS (9" x 8")



No. 36-DL (8" x 11")

No. 36-DS (7" x 9")

**Rooster**



**No. 59-DL Spinning Wheel**  
(Available in Large Size Only)

5" x 9"

(Available in Large Size Only)



**No. 68-DL Town Crier**

6" x 11"

(Available in Large Size Only)




**No. 62-DL Lamplighter**



**500 SERIES ARROW VANE**

For those who wish a weather vane without an ornament, our No. 500 or 400 Series vane is very attractive.

"IT'S an ill wind that blows nobody some good" is an old saying. You need not guess which way the wind blows if you have an IPC Deluxe Weather Vane on garage, cupola, breezeway, house or barn. Made from special aluminum and bronze alloys, weather resistant, rust proof, E-Z action ball point bearing, ridge saddle is pliable and may be shaped to roof pitch; thru-roof mounting can be supplied.



For complete vane number, use series number of vane and add ornament number, (example: 500-29DL is the number of vane illustrated at right). See page 8 for illustration of 500 series vane with silhouette ornament.

## 500 SERIES WEATHER VANE

The 500 Series Vane has a 28" arrow and is approximately 38" high including ornament. Modern design of directional and arrow is very attractive in all settings.

No. 5AB Adjustable Vane Base: When it is necessary to mount vane along side of ridge, on end of roof or on flat surface, adjustable base can be furnished.

**NOTE:** Deluxe-bodied ornaments illustrated on this page made of durable cast aluminum with smooth dull black weather-resistant satin finish and third dimensional effect.

Any of the large deluxe ornaments (DL) shown above can be used on 500 or 900 weather vanes or on 600, 700, 800, 800R and 800X markers. Small deluxe ornaments (DS) can be used on 400 weather vane and 300 post marker. Note that some deluxe ornaments are not available in small size.




400 Series Weather Vane illustrated with No. 34DS full bodied Squirrel Ornament, (complete number 40034DS).

See page 9 for more information on 400 Series Weather Vanes.

All silhouette ornaments shown on this and following pages are made of durable cast aluminum with crackle design and dull black weather-resistant satin finish. Each ornament has name and number with approximate dimensions.

"L" indicates large size ornament for Nos. 500 and 900 vanes and 600, 700, 800, 800R and 800X markers. "S" is smaller size for No. 400 vane and 300 marker. The "S" ornament can be used on any marker where smaller ornament is desired.



1-L (12" x 11")

1-S (9" x 9")

Horse



Boy Fisherman

2-L (13" x 10")


2-S (10" x 9")



Gardener

3-L (12" x 10")


3-S (9" x 8")



Sailboat

4-L (9" x 15")


4-S (6" x 9")



Horse and Rider

5-L (12" x 11")

5-S (8" x 7")



Illustrating roof saddle which is standard—It is pliable and may be shaped to roof pitch.

No. 5AB adjustable base can be furnished in place of ridge saddle if preferred.

Illustrating thru roof mounting (can be furnished if required for all vanes).

## 900 SERIES WEATHER VANE

The 900 Series Vane features simplicity of design. Note the attractive straight lines of the directionals and the plain arrow. The ideal vane for those who do not care for frills and elaborate design.

The 900 Series Vane can be furnished with any of the large silhouette ornaments (Nos. 1-L to 95-L) listed in this folder or with any of the large deluxe-bodied (DL) ornaments shown on preceding page.

For complete vane number, use series number of vane and add number of ornament you wish. (Example: 90012L is number of vane illustrated above.)



Jumper

6-L (13" x 10")

6-S (9" x 7")



Jean Val Jean

9-L (12" x 11")

9-S (8" x 7")



Pointer

14-L (14" x 9")

14-S (8" x 5")



Horse and Sulky

7-L (15" x 9")

7-S (9" x 5")



Cocker Spaniel

10-L (12" x 9")


10-S (7" x 5")



Terrier

15-L (10" x 10")

15-S (7" x 7")



Sailing

8-L (9" x 13")


8-S (6" x 9")



Fisherman

11-L (13" x 8")

11-S (8" x 5")



Windmill

16-L (15" x 10")

16-S (10" x 7")

## E-Z ACTION

All IPC Weather Vanes feature E-Z action principle. Exclusive ball point bearing design enables them to turn with the slightest breeze.

All ornaments are perfectly balanced for use on the vanes for which they were designed — add beauty and distinction without effecting accuracy.



Doctor and Buggy

12-L (15" x 7")

12-S (11" x 5")



Bucking Bronco

13-L (12" x 11")

13-S (8" x 5")



Hunter

17-L (12" x 10") 17-S (9" x 7")



Derby Runner

18-L (14" x 10") 18-S (9" x 6")



Golfer

19-L (14" x 10") 19-S (9" x 6")



Height Overall — 38"  
Arrow — 28" Long

500 Series Weather Vane with large silhouette ornament. Any of the "L" ornaments illustrated in this folder can be used with this vane. In ordering use series number of vane and add ornament number, (example: No. 500-20L is the number of vane illustrated at right).

See page 6 for illustration of 500 Series Vane with deluxe-bodied (DL) ornament.

NEWS

No. 5AB adjustable base can be furnished in place of ridge saddle, if preferred.



500 SERIES WEATHER VANE



Beef Bull

31-L (12" x 10") 31-S (8" x 7")



Dairy Bull

32-L (14" x 9") 32-S (9" x 6")



Owl

23-L (14" x 10") 23-S (10" x 7")



Flying Geese

27-L (16" x 9") 27-S (10" x 6")



Hog

33-L (14" x 8") 33-S (8" x 5")



Scotty

20-L (11" x 10") 20-S (7" x 6")



Old Locomotive

24-L (18" x 6") 24-S (10" x 3")




Covered Wagon

28-L (16" x 7") 28-S (10" x 4")



Squirrel

34-L (14" x 11") 34-S (9" x 8")



Pasture

21-L (10" x 13")  
21-S (6" x 8")



Old Auto

25-L (15" x 7") 25-S (10" x 5")



Duck Take-off

29-L (10" x 11") 29-S (8" x 8")



Eagle

35-L (12" x 11") 35-S (7" x 6")



Cow and Calf

22-L (16" x 8") 22-S (10" x 5")  
Page 8



Cow

26-L (14" x 9") 26-S (9" x 6")



Tractor

30-L (12" x 8") 30-S (8" x 5")



Rooster

36-L (10" x 12") 36-S (7" x 8")

1Pc

PERFORMANCE

1Pc

## 22" VANES

Height Overall — 30"  
Arrow — 22" Long



No. 5AB adjustable base can be furnished in place of ridge saddle, if preferred.

The 400 Series Vane is a very attractive, low-priced vane, featuring cast aluminum construction, weather-resistant finish, and the exclusive IPC ball point bearing design. Can be furnished with any of the small silhouette ornaments (Nos. 1-S to 95-S) shown in this folder or with any of the small deluxe-bodied (DS) ornaments illustrated on page 6. Large Deluxe ornaments (DL) cannot be used on this vane.

S-B-A-R-N

In ordering use series number of vane and add ornament number, (example: No. 40015 is the number of vane illustrated at left.)

No. 51DB Aluminum Vane Display Base available for displaying weather vanes. (Illustrated on No. 400 Series Vane at left.)

## 400 SERIES WEATHER VANE



Cat and Kitten

37-L (12" x 8")

37-S (8" x 5")



Stork

38-L (13" x 10")

38-S (8" x 6")



Fire Wagon

51-L (16" x 8")

51-S (10" x 5")



Beagle

52-L (11" x 10")

52-S (7" x 6")



Stage Coach

39-L (19" x 9")

39-S (11" x 5")



Pheasant

43-L (15" x 6")

43-S (10" x 4")



Bee Hive

47-L (11" x 9")


47-S (7" x 6")



Boston Terrier

53-L (10" x 9")

53-S (7" x 6")



Deer

40-L (13" x 11")

40-S (8" x 7")



Lamb and Ewe

44-L (14" x 8")

44-S (10" x 6")



Fox

48-L (11" x 10")

48-S (8" x 7")



Setter

54-L (14" x 9")

54-S (9" x 6")



Ayrshire Cow

41-L (12" x 10")

41-S (8" x 7")



Turkey

45-L (9" x 10")

45-S (6" x 7")



Siesta

49-L (11" x 9")

49-S (8" x 6")



Great Dane

55-L (10" x 9")

55-S (7" x 6")



Angus Bull

42-L (12" x 10")


42-S (8" x 7")



Photographer

46-L (13" x 9")

46-S (9" x 6")



Apple

50-L (15" x 9")

50-S (8" x 5")



Boxer

56-L (12" x 10")

56-S (7" x 6")



Mink

57-L (12" x 7")

57-S (9" x 5")



Show Horse and Cart

58-L (14" x 9")

58-S (10" x 6")



Spinning Wheel

59-L (11" x 10")

59-S (8" x 7")



Old Surrey

60-L (15" x 8")


60-S (9" x 5")



Horse and Carriage

61-L (15" x 8")

61-S (10" x 5")



Lamp Lighter

62-L (6" x 12")

62-S (4" x 8")

### VANE CONSTRUCTION

IPC vanes are very sturdy and rugged, designed to give many years of faithful service.

Constructed of special aluminum and bronze alloys, weather-resisting and rust-proof materials.

Feature E-Z action principle — exclusive ball point bearing design — turn with the slightest breeze.

Finished with eye appealing crackle design — entire vane has dull black weather-resistant satin finish.

No. 5AB Adjustable Base or thru-roof mounting can be furnished in place of regular ridge saddle, if preferred. Unless other mounting is specified on order, ridge saddle will be furnished. Slight additional charge is made for thru-roof mounting.

### GUARANTEE

IPC Weather Vanes and Markers are not a new product by a new company. IPC Weather Vanes have been tested and weathered in actual service in all parts of the country for years.

All vanes and markers are fully guaranteed against defective materials and workmanship.


ALL DIMENSIONS LISTED IN THIS FOLDER ARE APPROXIMATE



Dachshund

63-L (11" x 8")

63-S (8" x 6")



French Cock

67-L (10" x 12")

67-S (7" x 8")



Ford Tractor

71-L (11" x 8")

71-S (9" x 7")



Parakeet

72-L (8" x 9")

72-S (6" x 7")



Mare and Colt

73-L (15" x 9")


73-S (9" x 7")



Collie

64-L (11" x 9")

64-S (7" x 6")



Town Crier

68-L (10" x 11")

68-S (6" x 7")



Airplane

74-L (15" x 6")

74-S (10" x 4")



Doberman

65-L (10" x 10")

65-S (7" x 7")



Walking Horse

69-L (13" x 11")

69-S (8" x 7")



Trees

75-L (14" x 9")

75-S (9" x 6")



Running Horse

66-L (14" x 8")

66-S (9" x 5")



Caterpillar Tractor

70-L (9" x 6")

70-S (7" x 4")



Mockingbird

76-L (13" x 10")

76-S (9" x 7")



**Beaver**

77-L (12" x 9")

77-S (8" x 6")



**Surveyor**

83-L (8" x 10")

83-S (6" x 8")



**Saint Bernard**

87-L (12" x 10")

87-S (8" x 7")



**Wolf**

91-L (10" x 9")

91-S (7" x 6")



**Hound**

78-L (11" x 10")


78-S (7" x 6")



**Jack and Jill**

84-L (8" x 10")

84-S (6" x 8")



**Skaters**

88-L (8" x 12")

88-S (5" x 8")



**Bicyclist**

92-L (8" x 9")

92-S (7" x 7")



**Caterpillar Grader**

79-L (14" x 6")

79-S (10" x 4")



**Shepherd**

85-L (11" x 9")


85-S (8" x 6")



**Semi-Trailer**

89-L (16" x 7")

89-S (10" x 4")



**TV Set\***

93-L (11" x 10")

93-S (7" x 6")



**Beef Cow and Calf**

80-L (13" x 8")

80-S (9" x 6")



**Cockatoo**

86-L (16" x 8")

86-S (10" x 5")



**Indian**

90-L (8" x 9")

90-S (6" x 7")



**Cherries\***

94-L (13" x 9")

94-S (9" x 6")




**Potato\***

81-L (10" x 11")

81-S (8" x 8")

**CUSTOM-BUILT  
WEATHER VANE**



**MINIATURE  
WEATHER VANE  
No. 2052C**

8" in height overall. Cupola 2" square. Arrow actually turns. Complete in every detail. Vane — black with white rooster, cupola — natural aluminum.

Use inside on mantel or picture-window sill or outside on lamps, posts, bird feeders, dog houses, etc.

Illustration at left shows one of our large custom-built weather vanes. This style can be furnished with arrow up to 48" in length. Has all the features of our regular 400, 500 and 900 Series Vanes. Send specifications as to size and ornament desired and we will quote.

Other special vanes can be made from your specifications. Send blueprint or sketch and let us quote on your needs.



**Chinchilla**

95-L (11" x 11")

95-S (8" x 8")

\*Slight additional charge for special finishes illustrated on ornaments Nos. 81, 93 and 94. These can be furnished in regular black finish at standard prices.

Other ornaments can also be painted in special colors at slight extra charge.

**Special Designs**

We make up special ornaments from sketches, photographs or ideas submitted. Small additional charge for this service.



**Press Photographer**

82-L (8" x 9")

82-S (6" x 7")

# DECORATIVE DISTINCTIVE

All markers on this page are made of cast aluminum and have a dull black weather-resistant satin finish. All plates except the 300 and 800R have crackle design. For complete marker number, use the Series number and add the ornament number.

## HOUSE MARKERS



NO. 600 SERIES HOUSE MARKER

Bracket 19" long. Plate 7" x 16". Silhouette ornaments Nos. 1-L to 95-L and deluxe bodied (DL) ornaments can be used. (Complete marker illustrated is No. 60028L.)

## LAWN MARKERS



NO. 700 SERIES LAWN MARKER

Frame encircling plate is 9" x 18"; stake is galvanized steel rod, 5/8" x 30" long. Silhouette ornaments Nos. 1-L to 95-L and deluxe-bodied (DL) ornaments can be used. (Complete marker illustrated is No. 70034L.)

## POST MARKERS



NO. 800 SERIES POST MARKER SWINGING TYPE PLATE

Bracket 17 1/2" long. Plate 7" x 16". 10" x 17 1/2" plate can be furnished where 3 lines of copy are required. Silhouette ornaments Nos. 1-L to 95-L and deluxe-bodied (DL) ornaments can be used. (Complete marker illustrated is No. 80022L.)



NO. 800PS ALUMINUM STRAPS

For mounting post markers on 3" or 4" diameter posts. Straps are 22" long.



NO. 800X SERIES  
STATIONARY TYPE PLATE

Bracket 17 1/2" long. Plate 7" x 16". Silhouette ornaments Nos. 1-L to 95-L and deluxe-bodied (DL) ornaments can be used. (Complete marker illustrated is No. 800X59DL.)



NO. 300 SERIES  
POST MARKER

Bracket 14" long. Plate 4" x 12". Silhouette ornaments Nos. 1-S to 95-S and small deluxe-bodied (DS) ornaments can be used. (Complete marker illustrated is No. 30035.)

## No. 800R SERIES POST MARKER → (at right)

Bracket 17 1/2" long. Plate 4" x 14". Plate has raised letters permanently cast on both sides. Can furnish one or two line plate — maximum of seventeen letters and spaces per line. Border and letters finished with white enamel — balance of plate, black corduroy type finish. Letters can be finished with reflex paint to reflect light at night, if specified, at slight extra charge.

Silhouette ornaments No. 1-L to 95-L and deluxe-bodied (DL) ornaments can be used. (Complete marker illustrated is No. 800R2L.)



## ORNAMENT SUPPORT



NO. 65B FLAT  
SURFACE BRACKET

Can be mounted on any flat surface such as mailbox (see illustration at right), gate pillar, etc. All ornaments listed in this folder, either large or small size, can be used with this support.



**IMPRINTING** — All markers shown on this page except 800R Series can be hand-lettered with white enamel or with white reflex enamel (beaded to reflect light at night). Die-cut Silver Scotchlite letters can be applied if preferred. (Because the Scotchlite letters are pre-cut their use is limited to short names and numbers. The No. 300 marker will accommodate one line of five numbers or letters and the 600, 700, 800 and 800X markers will take two lines of Scotchlite with a maximum of eight letters per line or one arched line of ten letters.) Scotchlite letters are also available in sets or in bulk — can be applied by dealer or customer. Pressure-sensitive back — simple to apply.

**NOTE:** When lettering is required, state on your order whether you want white enamel, reflex enamel or Scotchlite and whether lettering is desired on one or both sides of the marker. On the 300 and 800X post markers, if lettering is desired on only one side of the plate, please state which side. (See price list No. V-551 for costs of lettering.)

1Pc



CRAFTSMANSHIP

1Pc

**DECORATIVE  
DISTINCTIVE**

All markers on this page are made of cast aluminum and have a dull black weather-resistant satin finish. All plates except the 300 and 800R have crackle design. For complete marker the orn

POST MARKERS



Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY

[www.apti.org](http://www.apti.org)

For the

**BUILDING TECHNOLOGY HERITAGE LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE  
SPECIAL COLLECTIONS  
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>

NO. 600

Bracket 15  
houette orna  
deluxe bodie  
used. (Comp  
60028L.)

ES  
PLATE


ate 7" x 16".  
I-L to 95-L and  
ments can be  
ustrated is No.

300 SERIES

T MARKER

4" x 12". Sil-  
S to 95-S and  
ornaments can  
r illustrated is

LAV



NO. 700 SERIES LAWN MARKER

Frame encircling plate is 9" x 18"; stake is galvanized steel rod, 3/8" x 30" long. Silhouette ornaments Nos. 1-L to 95-L and deluxe-bodied (DL) ornaments can be used. (Complete marker illustrated is No. 70034L.)



NO. 65B FLAT  
SURFACE BRACKET

Can be mounted on any flat surface such as mailbox (see illustration at right), gate pillar, etc. All ornaments listed in this folder, either large or small size, can be used with this support.



shown on this page except 800R Series can be hand-lettered with white enamel or with white reflex enamel (beaded to reflect light at night). Die-cut Silver Scotchlite letters can be applied if preferred. (Because the Scotchlite letters are pre-cut their use is limited to short names and numbers. The No. 300 marker will accommodate one line of five numbers or letters and the 600, 700, 800 and 800X markers will take two lines of Scotchlite with a maximum of eight letters per line or one arched line of ten letters.) Scotchlite letters are also available in sets or in bulk — can be applied by dealer or customer. Pressure-sensitive back — simple to apply.

NOTE: When lettering is required, state on your order whether you want white enamel, reflex enamel or Scotchlite and whether lettering is desired on one or both sides of the marker. On the 300 and 800X post markers, if lettering is desired on only one side of the plate, please state which side. (See price list No. V-551 for costs of lettering.)